

SUPPLEMENT TO

The Gazette



of India

No. 171

NEW DELHI, SATURDAY, APRIL 28, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 31st March, 1951.

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)								Bihar—contd.							
Ajmer								(Estd. mid-year pop. 38,839 thousands)							
Total	18	7		Total for w/e 24-3-51	79	31	1,993	388	
(Estd. mid-year pop. 680 thousands)								Total for w/e 17-3-51	79	25	1,815	236	
Total for w/e 24-3-51	6	4		7-yearly mean for the week	499	187	681	132	82	51	
Total for w/e 17-3-51	8	5									
7-yearly mean for the week	8	4									
Assam								Bombay							
Cachar	13	6	1	1		Bombay	75	18	
Khasi & Jaintia Hills	1		Ahmedabad	12	4	
Naga Hills		Kaira	
Goalpara	22	10		Broach	15	2	
Kamrup	5	2	10	4	...	—		Panoh Mahala	1	...	5	1	
Darrang	4	3		Surat	64	5	
Nowgong	21	1		Thana	18	4	
Sibsagar	2	1	3		Bombay Suburbans	
Lakhimpur	4	7		Ahmednagar	5	
Sadiya & Frontier Tracts	—		East Khandesh	139	23	
Garo Hills	10		West Khandesh	36	5	
Total	24	12	61	34		Amreli	
(Estd. mid-year pop. 8,101 thousands)								Nasik	24	3	
Total for w/e 24-3-51	10	6	138	44		Poona	62	8	
Total for w/e 17-3-51	1	1	111	40		Satara North	17	...	61	4	
7-yearly mean for the week	54	32	17	4		Satara South	35	4	
Bhopal								Sholapur							
Return not received.								Sabarkantha							
Bihar								Belgaum							
Patna	2	...	78	28	...	—		Bijapur							
Gaya	30	19		Dharwar							
Shahabad	52	7		Kanara							
Saran	135	39	...	—		Ratnagiri							
Champanan	39	6		Kolaba							
Muzaffarpur	4	1		Kolhapur							
Darbhanga	136	30		Baroda							
Monghyr	207	35		Navsari							
Bhagalpur		Dangs							
Saharsa	88	7		Malwan							
Purnea	6	4	235	24		Mehsana							
Santal Parganas		Banaskantha							
Hazaribagh	29	10	55	15		Total	18	...	702	102	
Ranchi	—		(Estd. mid-year pop. 33,821 thousands)							
Manbhum	17	12	71	8		Total for w/e 24-3-51	8	1	617	74	
Palamau	57	2		Total for w/e 17-3-51	12	...	776	121	
Singhbhum	356	67		7-yearly mean for the week	12	6	741	148	25	12	
Total	58	27	1,539	287									

2450-0145
7.5.51.

Explanation of Symbols used :- C=Ceres; D=Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 31st March, 1951—*contd.*

CHOLERA							SMALLPOX							PLAGUE													
O							D.							O.							D.						
Goorg							Madras																				
TOTAL	Vishakhapatnam	85	19						
(Estd. mid-year pop. 174 thousands)	Chitacole	..	2	2	802	124						
Total for w/e 24-3-51	East Godavari	..	1	151	39						
Total for w/e 17-3-51	Krishna	223	33						
7-yearly mean for the week	4	Guntur	..	1	292	41						
Delhi							Nellore	..	43	30	118	19						
Delhi City	Cuddappah	191	35						
New Delhi	1	Kurnool	48	5						
Delhi Notified Area	1	Bellary	99	28						
New Delhi Cantt.	Anantapur	77	15						
West Delhi N. A. C.	Madras	..	3	171	22						
Rural Circles	3	Chingleput	..	8	68	13						
TOTAL	4	Chittoor	..	2	78	16						
(Estd. mid-year pop. 1,453 thousands)	North Arcot	..	44	24	119	33						
Total for w/e 24-3-51	1	Salem	..	26	19	153	37						
Total for w/e 17-3-51	1	Coimbatore	..	124	64	249	72						
7-yearly mean for the week	20	7	South Arcot	..	87	53	285	67						
Himachal Pradesh							Tanjore	..	32	10	51	17						
Mahasu	Tiruchirapalli	..	27	15	78	18						
Mandi	Mathurai	..	214	106	161	33						
Sirmur	Ramnad	..	209	101	48	13						
Chamba	Tirunelveli	..	100	61	48	8						
TOTAL	Nilgiris	33	3						
(1941 census pop. 935 thousands)	Malabar	..	5	5	41	22						
Total for w/e 24-3-51	1	South Kanara	8	4						
Total for w/e 17-3-51	1	West Godavari	72	18						
Madhya Pradesh							TOTAL	927	497	3,744	754						
Nagpur	150	32	(Estd. mid-year pop. 55,055 thousands)						
Wardha	24	3	Total for w/e 24-3-51	859	458	3,444	745						
Chanda	336	12	Total for w/e 17-3-51	1,138	604	3,833	773						
Chhindwara	241	41	8	..	7-yearly mean for the week	292	161	1,017	197	19	11						
Betul	65	3	Manipur																				
Bhandara	152	20	20	..	TOTAL	2														
Jabalpur	60	8	72	14	(Estd. mid-year pop. 567 thousands)														
Sagar	2	Total for w/e 24-3-51														
Mandla	1	..	Total for w/e 17-3-51	2														
Hoshangabad	4	1	172	18	10	..	Orissa																				
Nimar	21	5	Outlook	6	1	161	25														
Balaghat	Balasore	39	11														
Raipur	3	3	229	15	Puri	95	11														
Bilaspur	12	2	67	11	Sambalpur	11	2														
Durg	321	20	Khondmals														
Bastar	4	1	Ganjam Plains	128	23														
Surguja	Ganjam Agency	4														
Itanagarh	35	6	Koraput	71	10														
Amravati	124	25	Keonjhar	50	12														
Yeotmal	21	4	Dhenkanal	7	5	7														
Akola	382	77	Bolangir Patna	38	3														
Buldana	229	34	Sundergarh	14														
TOTAL	19	6	2,635	335	111	14	Kalahandi	12	5	38	6														
(Estd. mid-year pop. 21,368 thousands)	Angul	2	1														
Total for w/e 24-3-51	4	3	2,943	324	95	21	Mayurbhanj	221	45														
Total for w/e 17-3-51	50	7	2,514	284	126	32	TOTAL	25	11	879	149														
7-yearly mean for the week	109	59	406	53	449	79	(Estd. mid-year pop. 13,413 thousands)														
							Total for w/e 24-3-51	44	17	830	174														
							Total for w/e 17-3-51	72	41	875	154														
							7-yearly mean for the week	74	48	361	67														

Explanation of symbols used:—O—Cases; D—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 31st March, 1951—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Punjab (I)								Uttar Pradesh— <i>contd.</i>							
Hissar	4	Nainital
Rohtak	Almora
Gurgaon	3	...	Garhwal
Karnal	1	Lucknow	6	3
Ambala	2	Unao	15	3	2
Simla	Rae Bareilly
Kangra	Sitapur	2	5	...
Hoshiarpur	Hardoi	11	...
Jullundur	2	Kheri	15	7
Ludhiana	Faisalabad	14	6	6	2	...
Ferozepore	8	Gonda	2	...	7	5	...
Amritsar	Bahraich	16	4	21	15	7	1	...
Gurdaspur	Sultanpur	4	1	...
Total	17	3	Partabgarh	11	5	...
(Estd. mid-year pop. 15,440 thousands)								Bara Banki	9	...	7
Total for w/e 24-3-51	5	1	Rampur
Total for w/e 17-3-51	7	2	Total	19	5	267	77	211	75	...
7-yearly mean for the week	29	8	44	16	Estd. mid-year pop. 62,134 thousands)							
Tripura								Total for w/e 24-3-51	161	42	232	112	...
Total	9	4	Total for w/e 17-3-51	282	52	252	93	...
(Estd. mid-year pop. 584 thousands)								7-yearly mean for the week	266	108	314	86	508	323	...
Total for w/e 24-3-51	8	1	15	West Bengal							
Total for w/e 17-3-51	12	4	20	2	Return not received.							
Uttar Pradesh								Grand total for States Parts (A) and (C) 1,090 558 9,874 1,753 322 89							
Dehra Dun	Excluding West Bengal and Bhopal							
Saharanpur	1	...	Estd. mid-year pop. 252,564 thousands)							
Muzaffarnagar	Total for w/e 24-3-51	1,436	723	13,361	2,864	327	133	...
Meerut	1	Total for w/e 17-3-51	1,695	845	12,342	2,820	378	125	...
Bulandshahr	7-yearly mean for the week	1,237	601	3,598	703	1,127	491	...
Aligarh	STATES Part (B)							
Mathura	Hyderabad							
Agra	1	1	Aurangabad	4	1	5	3	...
Mainpuri	11	4	Parbhani	5	5
Etah	Bhir	2	1
Barilly	1	1	Gulberga	7	6	2
Bijnor	Raichur	13	7	...	3
Budaun	Bidar
Moradabad	Osmanabad	3	1	...
Shahjahanpur	Warangal	1	...	9	4
Pilibhit	Kareemnagar	8	6
Farrukhabad	1	Adilabad	7	1
Etawah	Nizamabad	5	2
Kanpur	11	...	5	3	Medak	10	4	3	1	...
Fatehpur	Nalgonda	15	11
Allahabad	12	2	17	2	Mahbubnagar	10
Jhansi	Hyderabad	23	5
Jalaun	Nanded	3
Hamirpur	5	1	TOTAL	21	13	103	43	11	5	...
Banda	15	9								
Banaras	2	2	12	5								
Mirzapur	2	1								
Jaunpur	2	...	54	9	4								
Ghazipur								
Ballia	6	4								
Gorakhpur	25	12	14	10								
Deoria	20	5	22	4								
Barfi	16	1	41	13								
Azamgarh	27	8	8	4								

Explanation of Symbols used—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 31st March, 1951—*concl'd.*

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.]				D.]				C.]				D.]											
Jammu and Kashmir																Rajasthan															
Return not received.																Former Matsya. 8 															
																Former Rajasthan 															
																Bikaner 21 5 															
																Jodhpur 															
																Jaipur 															
																TOTAL 21 13 															
Madhya Bharat																Saurashtra															
Bhind 																Gohilwad 															
Bilke 																Halar 															
Gird 																Madhya Saurashtra 															
Indore 10 7 																Sarath 5 2 															
Jhabua 																Zalavad 3 1 															
Morena 2 2 																TOTAL 8 3 															
Mandsaur 																Travancore-Cochin															
Nimar 2 																TOTAL 45 19 															
Ratlam 																Vindhya Pradesh															
Shivpuri 																Rewa 30 .. 31 7															
Shajapur 																TOTAL 30 .. 31 7															
Ujjain 10 2 																Grand total for States Part (B) 73 39 385 125 59 24															
TOTAL 22 13 																Grand total for States Parts (A), (B) and (C) 1,163 597 10,259 1,878 381 113															
Mysore																TYPHUS															
Bangalore 7 3 9 2 																During the week following cases of typhus were reported.															
Chitaldrug 5 1 																Cases Deaths															
Chikmagalur 3 																Bombay City 4 ..															
Kolar 52 7 2 ..																POLIOMYELITIS															
Mandya 23 12 																(Information based on patients treated in Hospitals in important towns)															
Mysore 45 23 14 3 15 12																Place Period Cases															
Shimoga 2 																Punjab I 16-31 Mar. 51 16 (Paretic)															
Tumkur 44 9 																1 non-paretic															
Hasan 3 																Bombay 16-31 Mar. 51 2															
Kadur 1 																															
TOTAL 52 26 158 34 17 12																															
PEPSU																															
Return not received.																															
Explanation of Symbols used:—C.—Cases; D.—Deaths.																															

Explanation of Symbols used:—C.—Cases; D.—Deaths.

New Delhi, 3 (INDIA);

The 23rd April, 1951.

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 1,000 in India for the week ending the 31st March, 1951.

Deaths from—															
Town	Mid-1951 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
STATES (Parts A and C)															
Ajmer															
Ajmer	176	181	53.5	...	6	...	10	4	16	...	52	15.4	21		
Beawar	45	29	34.4	...	1	...	10	...	6	...	24	27.7	6		
TOTAL	221	210	49.4	...	7	...	20	4	22	...	76	17.8	27		
Assam															
Bhopal	90	43	24.8	4	..	3	..	10	5.8	..		
Bihar	}	Returns not received.													
Bombay															
Delhi State															
Delhi City	702	504	37.3	63	12	44	...	153	11.3	54		
New Delhi	124	170	71.3	6	..	55	23.1	10		
TOTAL	826	674	42.4	63	12	50	..	208	13.1	64		
Madhya Pradesh															
Akola	78	48	32.0	...	29	...	15	2	2	4	75	50.0	11		
Amravati	78	113	75.7	..	10	..	6	2	2	2	51	34.2	8		
Bilaspur	44	22	26.2	..	1	..	11	1	34	40.4	22		
Burhanpur	64	64	51.8	..	17	..	19	2	6	..	54	43.7	..		
Chanderi	44	39	46.5	5	2	3	..	33	22.7	19		
Damoh†															
Ellenpur	34	26	39.2	..	1	..	15	...	1	..	31	46.7	11		
Hingnagar	34	17	26.3	3	1	2	..	6	9.3	1		
Jabalpur	177	167	49.0	..	14	..	13	3	9	2	71	20.8	9		
Khandwa	42	23	28.1	6	17	20.8	...		
Nagpur	306	93	15.8	...	20	..	1	3	17	...	76	12.9	1		
Nagpur Civil Station	85	24	14.6	...	2	...	7	...	1	...	10	6.1	5		
Raipur	82	20	12.7	..	9	..	12	1	1	...	23	14.6	...		
Sagar†															
Wardha	37	14	19.4	...	2	...	1	..	4	...	7	9.7	2		
Yestmal	32	32	51.5	...	3	...	7	..	2	1	21	33.8	9		
TOTAL	1,137	702	32.1	...	108	..	161	17	50	9	509	23.3	98		

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth rate; C.—Cholera; S.—Small pox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 31st March, 1951—*contd.*

Town	Mid-1951 Popn. Est. (000)	Deaths from :—												Total	D.R.*	I.D.
		B.	B. R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.						
For w/e the 3rd March 1951																
Madras																
Adoni	35	40	59.4	2	6	..	18	26.7	2			
Ambur	39	19	25.3	7	9.3	..			
Anakapalle	35	16	23.8	..	1	..	1	1	3	..	13	19.3	1			
Aruppukottai	36	40	57.8	6	..	1	..	17	24.0	5			
Bellary †																
Bhimavaram	33	15	23.6	4	9	14.2	1			
Cannanore	35	28	41.6	5	12	17.2	1			
Chirala	36	17	24.6	3	3	2	..	15	21.7	2			
Chittoor	34	27	41.3	1	..	3	..	21	32.1	5			
Coimbatore	167	203	63.2	..	21	..	6	26	27	2	141	43.9	40			
Cuddalore	62	29	24.3	3	2	..	2	2	2	2	41	34.4	8			
Cuddappah	34	26	39.8	6	..	4	..	28	42.8	8			
Dindigul	69	45	34.4	4	2	5	..	23	17.6	4			
Eluru	73	48	34.2	..	3	..	11	2	4	..	41	29.2	5			
Erode	45	28	43.5	2	7	..	18	30.0	4			
Guddiyattam	41	32	40.6	..	2	..	6	4	1	..	15	19.0	4			
Guntur	103	107	54.0	..	5	..	4	5	10	..	46	23.2	21			
Kakinada	85	70	42.8	..	6	..	2	2	1	1	33	20.2	10			
Kancheepuram	84	39	24.1	1	2	9	..	33	20.4	5			
Kozhikode	154	115	38.8	..	1	..	5	1	11	..	62	20.9	5			
Karaikudi	36	32	46.0	4	1	12	17.3	2			
Karur	36	47	67.9	..	2	..	2	..	2	..	41	59.2	5			
Kumbakonam	72	105	75.8	1	2	..	2	1	6	1	47	33.9	11			
Kurnool	53	64	59.4	..	2	2	7	..	30	27.9	5			
Madras	1,027	947	47.9	..	25	..	56	95	219	3	731	37.0	178			
Mangalore	96	70	37.9	..	3	..	4	2	3	..	43	23.3	6			
Masulipatnam	61	71	60.5	..	6	..	3	2	5	..	39	33.2	10			
Mathurai	298	303	45.7	3	9	..	9	7	50	1	168	25.4	28			
Mayuran	33	45	70.9	1	1	1	2	..	20	31.5	1			
Melapalayam	32	18	29.3	4	..	5	..	19	30.9	3			
Nagapattinam	57	74	67.5	5	4	2	50	45.6	9			
Nellore	67	59	45.9	1	4	2	5	..	43	33.1	12			
Ootacamund	35	33	48.7	2	3	..	12	17.7	2			
Palyamkottai	34	65	99.4	2	1	4	1	2	23	35.2	9			
Palghat	61	48	40.5	..	1	..	2	1	5	..	24	20.5	8			
Proddatur	34	32	48.9	..	3	..	2	..	4	..	16	24.5	1			
Pudukottai	40	28	36.4	3	..	4	..	27	35.1	1			
Rajahmundry	86	88	53.2	..	5	..	8	2	8	..	58	57.1	11			
Rajapalayam	54	45	43.3	4	9	6	..	36	34.7	4			
Salem	158	128	42.1	3	6	..	2	5	21	..	90	29.6	19			
Srivilliputtur	37	35	49.2	1	3	1	..	21	29.5	8			
Tanjore	71	80	58.6	..	5	..	3	6	6	3	75	54.9	13			
Tellicherry	42	25	31.0	..	1	5	..	16	19.8	1			
Tenali	47	37	40.9	3	1	..	4	..	1	..	21	23.2	3			
Tiruchirappalli	177	133	39.1	1	3	7	28	1	140	41.1	16			
Tirunelveli	64	64	52.0	6	9	3	41	33.3	6			
Tiruppur	49	61	64.7	..	2	..	7	4	2	1	36	38.2	7			
Tiruvannamalai	40	21	27.3	..	1	..	2	8	6	..	33	42.9	9			
Tuticorin	91	96	54.9	3	2	17	1	57	32.6	13			
Vaniyambadi	40	22	28.6	1	3	1	13	16.9	6			
Vellore	86	100	60.5	..	1	..	3	5	9	1	53	32.1	9			
Vijayavada	113	86	39.6	..	1	..	7	5	4	1	52	39.9	6			
Vijaynagar	36	56	80.9	..	3	..	2	4	3	..	20	28.9	9			
Vizakhapatnam	84	41	29.1	..	3	..	3	1	3	..	35	21.7	3			
Vijayanagar	59	31	27.3	..	3	..	7	5	5	..	44	38.4	6			
TOTAL	4,609	4,140	46.7	23	129	..	219	247	558	26	2,779	31.4	471			

* Cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.=Births; B.R.=Birth rate; C.=Cholera; S.=Smallpox; J.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal deaths; D.R.=Death rate; I.D.=Infantile deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 31st March, 1951—*contd.*

Town	Mid-1951 Popu.-Est. (000)	B.	B.R.*	Deaths from:—										D.R.*	I.D.
				O.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Orissa															
Berhampur	50	30	31.3	..	2	..	3	2	16	16.7	4		
Cuttack	84	94	58.3	..	12	..	12	8	7	..	82	50.8	18		
Puri	45	29	33.6	..	1	..	7	..	2	..	31	35.9	12		
TOTAL	179	153	44.4	..	15	..	22	10	9	..	129	37.5	29		
Punjab (I)															
Amritsar	53	28	27.6	5	1	1	..	9	8.9	5		
Amritsar	520	155	15.5	3	3	29	2	81	8.1	18		
Batala	56	29	27.0	10	11	10.2	3		
Bhiwani	52	34	34.0	8	1	3	..	21	21.0	9		
Fazilka	38	10	13.7	3	1	1	..	7	9.6	..		
Ferozepore	48	23	25.0	2	1	5	..	12	13.0	3		
Hissar	32	18	29.3	2	..	1	..	7	11.4	3		
Hoshiarpur	44	30	35.5	7	..	2	..	13	15.4	4		
Jullundur	149	117	41.0	3	2	4	..	19	6.7	3		
Karnal	49	29	30.9	8	2	1	..	11	11.7	2		
Ludhiana	156	96	32.1	10	2	6	..	29	9.7	10		
Moga	38	23	31.6	5	..	2	..	8	11.0	1		
Panipat	43	21	25.5	7	..	1	..	14	17.0	5		
Rewari	35	24	35.8	8	..	1	..	10	14.9	..		
Rohtak	61	42	35.9	2	8	6.8	2		
TOTAL	1,374	679	26.7	83	13	57	2	260	9.8	68		
Uttar Pradesh															
Agra	360	251	36.3	..	1	..	6	7	81	..	119	17.2	35		
Allahabad	332	255	40.0	3	38	..	75	11.8	19		
Amroha	67	57	44.1	8	1	9	..	32	24.8	7		
Bahraich	47	46	51.2	6	2	4	1	24	26.7	6		
Bahampur	52	14	14.0	4	7	7.0	5		
Banaras	313	357	59.5	..	2	..	63	15	30	3	243	40.5	67		
Barilly	240	151	32.8	13	3	10	1	49	10.6	11		
Budaun	59	36	31.9	8	..	7	..	19	16.8	2		
Dehra Dun	105	44	21.8	2	2	7	..	22	10.9	..		
Etawah	59	52	45.6	14	1	13	..	43	37.7	23		
Faizabad-Ajodhya	58	37	33.0	1	1	5	2	19	17.0	..		
Farrukhabad-Fatehgarh	65	43	34.7	4	2	4	..	17	13.7	6		
Ferozabad	57	33	30.3	..	1	..	10	..	2	..	20	18.3	4		
Ghaziipur	35	18	26.6	9	3	3	..	16	23.6	..		
Gorakhpur	123	60	25.4	12	1	3	..	29	12.3	6		
Haridwar	48	29	31.8	3	2	2	..	14	15.3	6		
Hardwar Union	72	36	26.1	5	3	6	..	21	15.2	8		
Hathras	57	73	66.5	14	5	5	1	27	24.6	7		
Jaunpur	52	34	33.8	6	..	6	..	20	19.9	..		
Jhansi	91	126	71.8	28	1	3	..	39	22.2	14		
Kanpur	701	322	23.9	105	27	22	6	272	20.2	98		
Khurja	42	28	34.9	1	..	6	..	11	13.7	4		
Koili-Aligarh	146	68	24.3	5	3	6	..	22	7.9	6		
Lucknow	498	256	26.8	2	25	11	27	..	133	13.9	43		
Mathura	102	59	30.1	4	2	3	..	13	6.6	4		
Meerut	163	76	24.4	4	1	17	..	28	9.0	3		
Misapur-Vindhyaschal	82	96	61.4	..	2	..	15	3	3	..	32	20.5	10		
Moradabad	189	120	33.1	14	3	12	..	56	15.4	20		
Muzaffarnagar	66	32	25.1	5	1	4	..	11	8.6	7		
Pilibhit	54	53	51.3	1	..	2	..	12	11.6	7		
Rampur	105	23	11.4	12	..	9	..	27	13.4	3		
Saharanpur	171	103	31.4	26	2	5	..	44	13.4	13		
Sambhal†		
Shahjahanpur	135	81	31.3	14	..	2	2	26	10.0	3		
Sitapur	38	29	40.0	7	3	1	..	18	24.8	5		
TOTAL	4,784	3,098	33.7	..	6	2	454	108	357	16	1,560	17.0	451		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory diseases; M. D.—Maternal Deaths; D. R.—Death rate; I. D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 31st March, 1951—*contd.*

Deaths from :—

Town	Mid-1951 Popul. Est. (000)		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal			Return not received.											
			STATES—(Part B)											
Jammu and Kashmir			Return not received.											
Madhya Bharat														
Greater Gwalior	240	159	34.5	4	23	5.0	..
Indore City	278	164	30.7	..	4	..	30	2	11	109	20.4	28
Ratlam	52	34	34.0	..	3	..	10	..	8	28	28.0	..
Ujjain City†														
TOTAL	570	357	32.6	..	7	..	44	2	19	160	14.6	38
Mysore State														
Bangalore City	510	366	37.3	8	27	42	208	21.2	..
Kolar Gold Fields	184	121	34.1	5	14	7	60	16.9	..
Mysore City	195	68	17.1	15	8	79	21.0	..
TOTAL	889	555	30.7	28	49	49	347	20.3	..
PEPSU														
Malerkotla	36	15	21.7	2	5	7.2	..
Patiala	85	55	33.6	7	..	2	18	11.0	6
TOTAL	121	70	30.1	7	..	5	2	..	23	9.9	6
Rajasthan														
Alwar	61	24	20.5	..	8	..	3	..	4	21	17.9	..
Bikaner	150	58	17.7	..	1	8	31	9.4	6
Jaipur	204	20	5.1	40	2	6	100	25.4	32
Jodhpur	160	28	9.1	8	1	2	25	8.1	..
Udaipur	74	15	10.5	..	1	..	5	17	11.2	2
TOTAL	669	145	11.3	..	10	..	56	3	20	194	15.1	40
Saurashtra														
Bhavnagar	131	49	19.5	15	2	2	40	15.8	4
Dhoraji	56	34	38.4	8	3	1	15	16.6	..
Jamnagar	89	32	18.7	16	1	1	34	19.9	7
Jetpur	34	32	48.9	7	..	2	9	13.8	..
Junagadh	77	28	18.9	..	1	..	5	1	4	19	12.8	4
Morvi	56	20	18.6	3	..	4	7	6.5	1
Porbander† Rajkot	74	76	53.4	..	3	..	28	3	2	36	25.3	..
TOTAL	507	271	27.8	..	4	..	82	10	17	160	16.4	16
Travancore-Cochin			Return not received.											

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; F.R.=Firth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Typhoid; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal Deaths; D.R.=Death rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 31st March, 1951,—contd.

Deaths from:—

Town	Popn., 1st. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
Madhya Pradesh													
<i>For week the 24th March, 1951</i>													
Akola	78	69	46.0	.	28	..	6	2	6	1	54	36.0	5
Amravati	78	67	44.9	.	14	.	21	1	3	.	59	39.5	17
Bilaspur	44	25	29.7	9	2	28	33.3	16
Burhanpur	64	62	50.2	.	4	..	15	1	3	.	37	30.0	..
Chanda†													
Damoh†													
Ellichpur	34	27	40.8	11	4	2	..	24	36.2	7
Hinganghat	34	14	21.6	..	1	.	5	1	1	..	8	12.4	5
Jabalpur	177	63	18.4	12	..	5	..	28	8.2	..
Khandwa	42	26	31.8	10	22	26.9	..
Nagpur†													
Nagpur Civil Station†													
Raipur	82	20	12.6	..	7	.	9	16	10.1	..
Sagar†													
Wardha	37	16	22.2	..	2	..	3	..	1	..	8	11.1	2
Yeshmal	32	22	35.4	7	1	4	..	25	40.2	1
TOTAL	702	411	30.4	..	56	..	108	12	25	1	309	22.9	53

West Bengal

For week the 17th March, 1951

Asansol†													
Bally	71	5	3.7	..	1	1	..	4	2.9	..
Bankura	62	5	4.2	..	2	1	4	3.4	..
Baranagar	72	36	25.9	..	11	..	2	5	4	..	30	21.6	6
Berhampur†													
Bhatpara	150	42	14.6	1	1	..	8	4	2	..	53	18.4	16
Budge-Budge	41	7	8.9	1	..	.	3	5	21	..	12	15.3	..
Burdwan	87	8	4.8	..	9	..	1	2	1	..	18	10.8	1
Caldcutta	3,086	796	18.4	71	477	..	113	93	225	6	1,340	22.6	†
Champani	39	12	16.2	..	4	..	1	..	1	..	10	13.6	12
Garden Reach	115	6	2.7	..	3	..	4	3	2	..	16	7.2	1
Hooghly-Chinsura	60	45	35.5	..	2	..	3	1	1	..	17	13.4	3
Howrah	539	58	5.6	4	114	..	17	25	41	..	264	25.5	62
Kamarhati†													
Krishnagar	40	1	1.3	1	5	..	2	10	13.0	2
Midnapur	55	14	13.3	..	7	..	1	..	2	..	14	13.3	1
Nabadwip	43	12	14.7	3	21	..	9	4	41	50.1	1
Nailhati	54	8	7.7	1	2	..	6	2	3	..	16	15.5	6
Serampur	72	21	15.2	1	2	..	8	4	1	..	30	21.7	8
South Suburban	88	17	10.0	..	12	..	1	7	7	..	34	20.1	9
Titagarh	66	24	19.1	3	18	..	22	45	35.9	5
Tollygunj	94	3	1.7	..	1	2	1.1	..
TOTAL	4,840	1,120	12.0	86	692	..	201	156	292	6	1,960	21.1	133

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 31st March, 1951—*contd.*

Deaths from:—

Town	Mid-1.51 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Bihar <i>For w/s the 24th February 1951</i>													
Arrah	57	2	1.8	...	3	...	1	5	4.5	...
Bettiah	33	3	4.8	...	1	...	3	1	8	12.7	...
Bihar†													
Bhagalpur†													
Chapra†													
Darbhanga	78	25	16.7	...	1	...	4	...	3	...	13	8.7	...
Dinapur-Nizamat	37	7	9.9	2	5	7.1	...
Gaya	123	73	30.9	...	14	...	16	3	13	...	9	24.9	...
Jamalpur	49	3	3.2	1	1	1.1	...
Jamshedpur	216	54	24.2	4	2	3	...	13	3.1	...
Monghyr	74	9	6.4	2	1	5	3.5	...
Muzaffarpur	66	12	9.5	5	2	16	12.7	...
Patna	192	13	3.5	...	3	...	3	10	2.7	...
Purulia	35	3	4.5	1	1	1.5	...
Ranchi	58	27	24.2	5	18	10.2	...
TOTAL	1,019	231	11.8	...	22	...	47	9	19	...	154	7.9	...
Bihar <i>For w/s the 3rd March 1951</i>													
Arrah	57	7	6.3	...	1	...	1	1	5	4.5	...
Bettiah	33	5	7.9	...	1	2	3.2	...
Bhagalpur	103	4	2.0	...	13	...	7	39	19.7	...
Bihar	62	12	10.0	1	5	9	7.5	...
Chapra	63	11	9.1	...	2	...	2	1	1	...	7	5.8	...
Darbhanga	78	17	11.3	...	2	...	4	9	6.0	...
Dinapur-Nizamat	37	7	9.9	1	1	...	2	5	7.1	...
Gaya	123	31	13.1	...	22	...	17	2	2	...	61	25.8	...
Jamalpur	49	2	2.1	1	1	1.1	...
Jamshedpur	216	85	20.5	4	3	7	...	17	4.1	2
Monghyr	74	7	4.9	...	2	...	1	5	3.5	...
Muzaffarpur	66	9	7.1	...	2	...	2	5	4.0	...
Patna	192	25	6.8	2	2	...	5	2	2	...	17	4.6	...
Ranchi	58	21	18.8	4	1	7	6.3	...
Purulia	35	5	7.4	1	2	3.0	...
TOTAL	1,246	248	10.3	4	48	...	56	10	12	...	191	8.0	2
Bihar <i>For w/s the 10th March 1951</i>													
Arrah	57	17	15.4	...	2	...	4	1	9	8.1	...
Bettiah	33	0	9.5	...	5	...	3	...	1	...	11	17.5	...
Bihar	62	17	14.2	2	5	4.2	...
Bhagalpur	103	14	7.1	4	9	4.5	...
Chapra	63	14	11.6	...	3	...	3	1	1	...	11	9.9	...
Darbhanga	78	32	21.3	...	5	...	9	2	3	...	27	18.0	...
Dinapur-Nizamat	37	4	5.7	...	1	...	2	6	8.5	...
Gaya	123	29	12.3	...	10	...	28	3	13	...	74	31.3	...
Jamalpur	49	2	2.1	1	1	1.1	...
Jamshedpur	216	69	16.6	5	6	1	...	17	4.1	2
Monghyr	74	7	4.9	...	3	...	1	5	3.5	...
Muzaffarpur	66	7	5.6	...	2	...	2	1	9	7.1	...
Patna	192	20	5.4	...	3	...	6	1	1	...	18	4.9	...
Purulia	35	4	5.9	1	2	3.0	...
Ranchi	58	17	15.3	7	1	10	9.0	...
TOTAL	1,246	259	10.8	...	37	...	78	16	20	...	214	8.9	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 31st March 1951—*contd.*

Town	Mid-1951 Popn.-Est. (000)	Deaths from—										Total	D.R.*	I.D.
		B.	B.R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay														
For w/e the 17th March, 1951														
Ahmedabad	882	530	31.2	...	4	..	183	3	38	3	335	19.2	115	
Ahmednagar	67	74	57.4	7	2	9	...	31	24.0	..	
Amalner	46	23	26.0	18	...	4	...	24	27.1	5	
Bandra †														
Baroda City	192	158	42.9	42	2	7	...	84	22.8	27	
Baroda	42	28	34.7	8	...	5	...	23	27.2	9	
Belgaum	79	26	17.1	1	...	8	8.3	2	
Bhusawal	45	55	63.6	13	...	3	...	30	34.7	10	
Bijapur	58	60	53.8	4	2	5	...	17	15.2	...	
Bombay	1,820	994	28.3	...	16	...	6	24	183	2	699	19.9	205	
Broach	78	47	31.3	11	...	3	...	27	18.0	1	
Cambay†														
Dharwar	55	31	29.3	2	...	2	...	12	11.3	...	
Dhulia	67	42	32.6	7	...	2	...	16	12.4	3	
Gadag Betgeri	67	30	27.7	8	1	5	1	20	22.5	9	
Godhra	49	43	45.6	5	...	1	...	15	16.1	...	
Hubli	108	75	37.0	9	2	7	2	34	16.3	6	
Jalgaon	63	131	108.1	16	1	1	1	33	27.2	6	
Kalyan	37	26	36.5	2	...	1	...	7	9.8	...	
Kolhapur	117	76	33.8	4	...	2	1	34	15.1	7	
Kurla †														
Malegaon	41	23	29.2	15	2	3	1	27	34.2	11	
Miraj	39	12	16.0	...	1	1	...	10	13.3	1	
Nadlad	59	55	48.4	17	...	3	..	30	25.5	5	
Nasik	59	61	53.8	...	1	...	2	4	12	1	46	40.5	9	
Navsari	47	31	34.3	22	2	32	35.4	9	
Pandharpur	37	42	59.0	11	5	8	...	42	59.0	13	
Parle Andheri †														
Patan	43	32	38.2	5	3	27	32.7	2	
Poona	319	275	44.3	...	6	...	7	...	30	...	122	19.9	41	
Sangli	40	27	34.9	..	1	...	6	1	15	19.5	5	
Satara	41	40	52.0	1	...	4	...	20	25.3	4	
Sholapur	274	184	34.9	31	4	40	1	117	22.2	22	
Surat	246	173	36.7	...	3	...	31	3	23	..	98	20.7	34	
TOTAL	5,126	3,410	34.6	...	32	...	493	59	403	15	2,043	20.7	561	
Uttar Pradesh For w/e														
Bareilly	17-3-51	240	184	40.0	14	3	14	..	47	10.2	17	
Shahjahanpur	"	135	84	32.5	11	..	4	..	22	8.5	5	
Faizabad	"	58	21	18.7	5	3	1	..	14	12.5	2	
Banaras	24-3-51	313	205	34.2	37	16	7	1	119	19.8	28	
Etawah	"	59	38	33.3	7	2	6	..	21	18.4	9	
Bhopal														
Bhopal	10-2-51	90	61	35.2	5	†	7	4.0	†	
"	17-2-51	"	65	37.6	2	..	2	†	7	4.0	†	
"	24-2-51	"	69	39.9	1	...	3	†	4	2.3	†	
"	3-3-51	"	68	39.3	2	†	2	1.2	†	
"	10-3-51	"	68	39.3	3	..	2	†	11	6.4	†	
"	17-3-51	"	56	32.4	†	2	1.2	†	
"	24-3-51	"	50	28.9	1	..	1	†	4	2.3	†	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; O.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 31st March, 1951, relate to 145 towns with an estimated population of 15,976 thousands. The total number of towns is 234 and their population is 29,017 thousands. Thus 62% of the total number of towns representing 55% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 11,097 and 6,453 representing birth and death rates of 36.1 and 20.9 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 125 towns with an estimated population of 13,220 thousands. Information about Assam, Bihar, Bombay and West Bengal could not be included. The total number of towns is 202 and their population is 25,187 thousands. Thus 62% of the total number of towns representing 52% of the total population is covered. The numbers of births and deaths recorded in these towns were 9,699 and 5,531 representing birth and death rates of 38.2 and 21.8 per thousand of population respectively. The table at the end gives the position by States.

The towns of Akola in Madhya Pradesh, Karur and Tanjore in Madras and Cuttack in Orissa recorded high death rates of 50.0, 59.2, 54.9 and 50.8 per thousand of population respectively. In Akola and Cuttack, the high death rates were mainly due to deaths from Smallpox and fevers. There were a number of deaths in Karur and Tanjore but the high death rates there were not due to any one of the specified causes.

(B) States (Part B).—The data here relate to 20 towns with an estimated population of 2,756 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 63% of the total number of towns representing 72% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,398 and 884 representing birth and death rates of 26.9 and 16.7 per thousand of population respectively.

No towns recorded a high death rate of 50 or over per thousand population.

States	Current w/e 31-3-51		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	40.4	17.8	20.0	17.2	26.9	23.5
Delli	42.4	13.1	29.5	20.0	26.7	13.4
Madhya Pradesh	32.1	23.3	37.4	24.0	32.3	19.9
Madras	46.7	31.4	45.5	24.3	42.6	23.9
Orissa	44.4	37.5	37.8	26.0	31.8	21.6
Punjab (I)	26.7	9.8	22.5	9.7	23.4	11.1
Uttar Pradesh	33.7	17.0	23.5	19.4	28.5	21.5
India (only States parts A & C)	38.2	21.8	31.1	26.4	28.0	19.2

NEW DELHI 3 (INDIA); }
The 23rd April, 1951. }

S. P. JAIN,
for Registrar General, India.